

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-------------------------------------|----------------|----------------------|---------------------|------------------|
| 10/612,816 | 07/02/2003 | Fred O. Hartmann | G351.12-0001 | 3853 |
| 43662 | 7590 03/10/200 | EXAMINER | | INER |
| DUFAULT | LAW FIRM | ADAMS, GREGORY W | | |
| 10 SOUTH F | IFTH STREET | | | |
| LUMBER EXCHANGE BUILDING, SUITE 920 | | | ART UNIT | PAPER NUMBER |
| MINNEAPOLIS, MN 55402 | | | 3652 | |
| | | | | |

DATE MAILED: 03/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| v • • • • • • • • • • • • • • • • • • • | Application No. | Applicant(s) | | |
|--|--|---|--|--|
| | 10/612,816 | HARTMANN ET AL. | | |
| Office Action Summary | Examiner | Art Unit | | |
| | Gregory W. Adams | 3652 | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was really received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirr rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE! | l. the mailing date of this communication. (35 U.S.C. § 133). | | |
| Status | | | | |
| Responsive to communication(s) filed on 10 Ja This action is FINAL. 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under E | action is non-final. nce except for formal matters, pro | | | |
| Disposition of Claims | | | | |
| 4) | vn from consideration. | | | |
| Application Papers | | | | |
| 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the consequence of the consequenc | epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj | e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d). | | |
| Priority under 35 U.S.C. § 119 | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | |
| Attackersentic | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | | | |

Application/Control Number: 10/612,816 Page 2

Art Unit: 3652

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States

1. Claims 7 & 28-29 are rejected under 35 U.S.C. 102(b) as being anticipated by Howe (US 1,582,045) (previously cited).

With respect to claims 7 & 28-29, Howe discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively maneuver a hand-truck.

2. Claim 27 is rejected under 35 U.S.C. 102(b) as being anticipated by Welter (US 2,725,946).

With respect to claim 27, Welter discloses a hand truck having a platform, wheels, T-bar 18, tongue member 16 parallel to a handle 15 lower portion and engaging a locking plate 13, 14.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 10/612,816 Page 3

Art Unit: 3652

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045).

With respect to claim 4, Welter does not disclose a channel member. Howe discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively maneuver a hand-truck. Howe teaches that a recessed handle allows longer objects, e.g. overhang a platform, can be placed on a platform such that "steering and propelling is done by manipulating the object itself."

Page 2/L11-26. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the hand-truck of Welter to include a channel, as per the teachings of Howe, to handle overhanging loads.

4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Goral (US 5,078,415) (previously cited).

With respect to claim 6, Welter discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively

Art Unit: 3652

maneuver a hand-truck. Welter does not disclose support members extending down from a platform parallel to a channel member. Goral discloses support members 3 which extend down an equidistance as a central channel 5 to allow heavier loads placed on a platform, e.g. gas cylinders, to be lifted by heavy equipment such as fork lifts. Cols. 1-2. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Welter's hand-truck to include support members, as per the teachings of Goral, to lift heavy loads such as gas cylinders.

5. Claims 9 & 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Masserant et al. (US 6,199,878).

With respect to claims 9 & 11-12, Welter does not disclose box-like guard members. Masserant et al. disclose box-like guards 27a, 27b around wheels to house a wheel-braking and provide an opening through a hand-truck 11 wheel 13a, 13b may engage the ground. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wheels of Welter to include box-like guards, as per the teachings of Masserant et al., to house a wheel brake.

6. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Hanaoka (US 4,655,466).

With respect to claim 13, Welter does not disclose a foot-brake. Hanaoka discloses a hand-truck having a foot brake 28 "which is grounded during loading operation and is lifted away from the ground during transportation operation." C3/L49-52. Therefore, it would have been obvious to one having ordinary skill in the art at the

Application/Control Number: 10/612,816

Art Unit: 3652

time the invention was made to modify the apparatus of Welter to include a foot-brake, as per the teachings of Hanaoka, to assist a hand –truck during loading operation.

7. Claims 14 & 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045).

With respect to claims 14 & 17, Welter discloses a hand truck having a platform, wheels, T-bar 18, tongue member 16 parallel to a handle 15 lower portion and engaging a locking plate 13, 14, and does not disclose a channel member or support members.

Howe discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively maneuver a hand-truck. Howe teaches that a recessed handle allows longer objects, e.g. overhang a platform, can be placed on a platform such that "steering and propelling is done by manipulating the object itself." Page 2/L11-26. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the hand-truck of Welter to include a channel, as per the teachings of Howe, to handle overhanging loads.

8. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045) and Hanaoka (US 4,655,466).

With respect to claim 15, Welter does not disclose a foot-brake. Hanaoka discloses a hand-truck having a foot brake 28 "which is grounded during loading operation and is lifted away from the ground during transportation operation." C3/L49-

Application/Control Number: 10/612,816 Page 6

Art Unit: 3652

52. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Welter to include a foot-brake, as per the teachings of Hanaoka, to assist a hand –truck during loading operation.

9. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045) and Masserant et al. (US 6,199,878).

With respect to claim 16, Welter does not disclose box-like guard members.

Masserant et al. disclose box-like guards 27a, 27b around wheels to house a wheel-braking and provide an opening through a hand-truck 11 wheel 13a, 13b may engage the ground. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wheels of Welter to include box-like guards, as per the teachings of Masserant et al., to house a wheel brake.

10. Claims 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045) and Goral (US 5,078,415) (previously cited).

With respect to claims 18-19, Welter does not support members. Goral discloses support members 3 which extend down an equidistance as a central channel 5 to allow heavier loads placed on a platform, e.g. gas cylinders, to be lifted by heavy equipment such as fork lifts. Cols. 1-2. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Welter's hand-truck to include support members, as per the teachings of Goral, to lift heavy loads such as gas cylinders.

Art Unit: 3652

11. Claims 20 & 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045) and Goral (US 5,078,415) (previously cited).

With respect to claims 20 & 22, Welter discloses a hand truck having a platform, wheels, T-bar 18, tongue member 16 parallel to a handle 15 lower portion and engaging a locking plate 13, 14, and does not disclose a channel member or support members.

Howe discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively maneuver a hand-truck. Howe teaches that a recessed handle allows longer objects, e.g. overhang a platform, can be placed on a platform such that "steering and propelling is done by manipulating the object itself." Page 2/L11-26. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the hand-truck of Welter to include a channel, as per the teachings of Howe, to handle overhanging loads.

Goral discloses support members 3 which extend down an equidistance as a central channel 5 to allow heavier loads placed on a platform, e.g. gas cylinders, to be lifted by heavy equipment such as fork lifts. Cols. 1-2. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Welter's hand-truck to include support members, as per the teachings of Goral, to lift heavy loads such as gas cylinders.

Application/Control Number: 10/612,816

Art Unit: 3652

12. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045), Goral (US 5,078,415) (previously cited) and Hanaoka (US 4,655,466).

With respect to claim 23, Welter does not disclose a foot-brake. Hanaoka discloses a hand-truck having a foot brake 28 "which is grounded during loading operation and is lifted away from the ground during transportation operation." C3/L49-52. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Welter to include a foot-brake, as per the teachings of Welter, to assist a hand –truck during loading operation.

13. Claims 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Welter (US 2,725,946) in view of Howe (US 1,582,045), Goral (US 5,078,415) (previously cited) and Masserant et al. (US 6,199,878).

With respect to claims 25-26, Welter does not disclose box-like guard members. Masserant et al. disclose box-like guards 27a, 27b around wheels to house a wheel-braking and provide an opening through a hand-truck 11 wheel 13a, 13b may engage the ground. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wheels of Welter to include box-like guards, as per the teachings of Masserant et al., to house a wheel brake.

14. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Howe (US 1,582,045) in view of Hanaoka (US 4,655,466).

With respect to claims 31, Howe does not disclose a foot-brake. Hanaoka discloses a hand-truck having a foot brake 28 "which is grounded during loading

operation and is lifted away from the ground during transportation operation." C3/L49-52. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Howe to include a foot-brake, as per the teachings of Hanaoka, to assist a hand –truck during loading operation.

Page 9

15. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Howe (US 1,582,045) in view of Goral (US 5,078,415) (previously cited).

With respect to claim 30, Howe discloses a hand-truck comprising a platform connected to a unitary rigid handle 22, 23, channel 17-19, locking plate 28 connected to platform 10, first and second hinge members 20, and first and second stops 25 wherein a handle having handle bars 23 is positionable between a stowed position, pivotable position and a locked position and is accessible at each position to operatively maneuver a hand-truck. Howe does not disclose support members extending down from a platform parallel to a channel member. Goral discloses support members 3 which extend down an equidistance as a central channel 5 to allow heavier loads placed on a platform, e.g. gas cylinders, to be lifted by heavy equipment such as fork lifts. Cols. 1-2. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Howe's hand-truck to include support members, as per the teachings of Goral, to lift heavy loads such as gas cylinders.

16. Claims 32-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Howe (US 1,582,045) in view of Masserant et al. (US 6,199,878).

With respect to claim 32-33, Howe does not disclose box-like guard members.

Masserant et al. disclose box-like guards 27a, 27b around wheels to house a wheel-

Art Unit: 3652

braking and provide an opening through a hand-truck 11 wheel 13a,13b may engage the ground. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the wheels of Howe to include box-like guards, as per the teachings of Masserant et al., to house a wheel brake.

17. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Howe (US 1,582,045) in view of Welter (US 2,725,946).

With respect to claim 34, Howe does not disclose tongue member. Welter discloses a hand truck having a platform, wheels, T-bar 18, tongue member 16 parallel to a handle 15 lower portion and engaging a locking plate 13, 14 such that a hand-truck may be manipulated in "crowded quarters, such as in warehouses, holds of vessels, boxcars or freight-carrying aircraft." C1/L17-25. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Howe to include tongue member, as per the teachings of Welter, for maneuverability in tight quarters.

Response to Arguments

Applicant's arguments with respect to the Tseng reference are persuasive with respect to Applicants 37 C.F.R. 1.131 Declaration swearing behind. Thus, the rejections based on Tseng have been withdrawn and new art applied. New claims 28 have been addressed on the merits above and arguments directed to Howe's perpendicular positioning addressed hereinafter.

With respect to substantially perpendicular, its unclear if there is perpendicularity or merely close to perpendicularity. Broadly construed, Howe discloses a handle having

Application/Control Number: 10/612,816

Art Unit: 3652

hinging means that permit a handle to rotate to nearly perpendicular which is enough to say that Howe's handle is substantially perpendicular when locked. In other words, Howe's locking plate 28 "serves as a rest or support for the handle when in an operative position." P2/L7-10.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory W. Adams whose telephone number is (571) 272-8101. The examiner can normally be reached on M-Th., 8:00-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen Lillis can be reached on (571) 272-6928. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EILEEN D. LILLIO SUPERVISORY PATENT EXAMINER SUPERVISORY PATENTER 3600

Page 11

GWA